



TUNGTAI MACHINERY CO., LTD.
บริษัท ดั่งไถ่แมชชีนเนอรี่ จำกัด

We can respond every your needs The Empire of Machine



Fiber Laser Cutting Machine
Vertical Machining Centers
CNC Lathe Machine
Milling Machine
Lathe Machine
Grinding Machine

▶ **H series**
All Cover Exchange Platform
Fiber Laser Cutting Machine

Laser Power:
1000w/1500w/2000w/3000w/4000w
Cutting Length (mm): 3000/6000



▶ **HP series**
High Power Closed Type Fiber
Laser Cutting Machine

Laser Power:
1000w/1500w/2000w/3000w/4000w
Cutting Length (mm): 3000/6000



▶ **E series**
Plate Professional Fiber
Laser Cutting Machine

Laser Power:
1000w/1500w/2000w/3000w/4000w
Cutting Length (mm): 3000/6000



▶ **AT series**
Plate and Pipe Dual-Use Fiber
Laser Cutting Machine

Laser Power:
1000w/1500w/2000w/3000w/4000w
Length of Pipe (mm): 3000/6000



▶ **Machining Center ODG-V5**

Work Table Size (mm): 650 x 400
X500/Y400/Z300



▶ **Machining Center DL-V11**

Work Table Size (mm): 1200 x 600
X1100/Y600/Z600



▶ **VM Series CNC Traveling Table
Vertical Machining Center
With Linear Guideway**

Lower Distance from Worktable
to Ground is 900/1000/1100 mm
Three Axis Span X/Y/Z 265-350 mm/
440-620 mm/275-420 mm



▶ **VM Series Tapping Center
Gantry Type Vertical
Machining Center VM640D**

Work Table Size 650x400 mm
Axis Travel X/Y/Z 510/400/350 mm



▶ **Flat Bed CNC Lathe (Linear)
GFIR GFL6**

Max Swing (mm): 320
Chuck: 6"
Spindle Speed: 4500 rpm



▶ **Flat Bed CNC Lathe (Linear)
GFIR GFLR6**

Max Swing (mm): 320
Chuck: 6"
Spindle Speed: 4500 rpm



▶ **Flat Bed CNC Lathe (Linear)
GFIR GFLH6**

Max Swing (mm): 340
Chuck: 6"
Spindle Speed: 6000 rpm



▶ **Slant Bed CNC Lathe
GFIR GSL8**

Max Swing (mm) 470
Chuck: 6"
Spindle Speed: 4500 rpm



▶ **CNC Lathe Machine
SKQ6110/61125**

Max Swing (mm): 1100/1250
Max Cutting Length: 2000/3000/5000



▶ **Heavy Duty CNC Slant Bed
Lathe With Box Guideway
NL504SC**

Max swing over bed (mm): 600



▶ **Heavy Duty Bed Type
Milling Machine
EM-1460B**



▶ **KENT USA Manual Grinding
Machine
M618/M818**

Work Table Size (mm):
150x450/460x200



▶ **Mini Lathe Machine
CQ6230B**

Max Swing (mm): 300



▶ **Lathe Machine
C360x1000**

Max Swing (mm): 360



▶ **High-Speed Gap-Bed Lathe
CY-L1640G/1840G**

Max Swing (mm): 410/460
Chuck: 8"/10"
Cutting Length (mm): 1000




▶ **Yunnan Universal Lathe
CY-6250B/6266B/6276L**

Max Swing (mm): 500/660/760
Chuck: 12"/14"/16"
Cutting Length (mm): 2000



▶ **Fiber Laser Cutting Machine**

Laser Power:
1000w/1500w/2000w/3000w/4000w
Cutting Length (mm): 3000/6000



▶ **Fiber Laser Cutting Machine**

Laser Power:
1000w/1500w/2000w/3000w/4000w
Cutting Length (mm): 3000/6000



▶ **Robot: SYH1506A / 1806A**

Degree of Freedom: 6/6
Load Capacity (kg) 6/6
Max. Reach Distance (mm): 1550/1800



▶ **Flexure Automation of Flexure Intelligent Equipment**



▶ **SMTCL High-Speed Tapping Center TC500R/TC700R**

Work Table Size (mm):
650x400/850x410
X500/700
Y400/400
Z300/300



▶ **SMTCL Vertical Machine Center VMC1000B/VMC1300B/1600B**

Work Table Size (mm): 1200x500
X1000 Y610 Z650



▶ **Headman Automation Unit CNC Lathe HTC550R**

Max Swing (mm): 550
Chuck: 8"



▶ **Headman Automation Unit CNC Lathe HTC450**

Max Swing (mm): 450/550
Chuck: 6"/8"



▶ **Slant Bed CNC Lathe GFIR TSL6**

Max Swing (mm): 350
Chuck: 6"
Spindle Speed: 4500 rpm



▶ **Slant Bed CNC Lathe GFIR TSL8**

Max Swing (mm): 480
Chuck: 8"
Spindle Speed: 4500 rpm



▶ **Flat Bed CNC Lathes**

Max Swing (mm): 500
Max Cutting Length (mm): 1000/1500



▶ **Flat Bed CNC Lathes**

Max Swing (mm): 360
Max Cutting Length (mm): 750/1000



▶ **KENT USA Hydraulic Grinding Machine KGS1020AH/1224AH/1640AH**

Work Table Size (mm)
255x510
300x600
400x800
400x1000



▶ **KENT USA Hydraulic Grinding Machine KGS-510AH/615AH**

Work Table Size (mm)
500x1000
500x1500
600x1000
600x1500



▶ **Cylindrical Grinding Machine M1332B**

Grinding Capacity (mm):
320x500/750/1000/1500



▶ **Taiwan Milling Machine M3/M4/M5**

Spindle Taper: NT30/NT40
Spindle Motor: 3HP/5HP



▶ **CW Lathe Machine CW6280/62100/62110/62125/62145**

Max Swing (mm):
800/1000/1100/1250/1450
Cutting Length (mm):
1500/3000/5000/6000



▶ **Radial Drilling Machine Z3032x9/10, Z3040x13**

Max Drilling Diameter (mm): 32/40



▶ **Radial Drilling Machine Z3050x16/1, Z3063x20/1, Z3080x25**

Max Drilling Diameter (mm): 50/63/80



▶ **DRO Horizontal Boring and Milling Machine TPX6111/TPX6113B**

Spindle Diameter (mm): 110/130
X900/Y900/Z1400



► Flexure Automation of
Flexure Intelligent Equipment



► Intelligent, Efficient,
Energy-Saving and Durable



► Series WC67Y
Hydraulic Brake

400/2500
80/3200
100/4000



► Series QC12Y
Hydraulic Swing Beam Shear

Cutting Size (mm):
4x2500
6x3200
8x4000



► Flat Bed CNC Lathe (Box Way)
TF6

Max Swing (mm) 300
Chuck: 6"
Spindle Speed: 3500 rpm



► Flat Bed CNC Lathe (Box Way)
GFIR TF8

Max Swing (mm): 400
Chuck: 8"
Spindle Speed: 3000 rpm



► Flat Bed CNC Lathe (Box Way)
GFIR TF8L

Max Swing (mm): 470
Chuck: 8"
Spindle Speed: 3000 rpm



► Flat Bed CNC Lathe (Linear)
GFIR GFL5

Max Swing (mm): 250
Chuck: 6"
Spindle Speed: 3500 rpm



► Flat Bed CNC Lathes

Max Swing (mm): 1250
Max Cutting Length (mm): 3000



► Flat Bed CNC Lathes
CY-K Series
CY-K510N

Max Swing (mm): 510
Chuck: 10"
Max Cutting Length (mm): 1000/1500



► Flat Bed CNC Lathes
CY-K Series
CY-K360N

Max Swing (mm): 360
Chuck: 8"
Max Cutting Length (mm): 750/1000



► CNC Flat Bed Lathe
CY-K630/CY-K800

Max Swing (mm): 630/800
Chuck: 12"/26"



► Universal Radial Milling Machine
X6332B/X6336

Max Swing (mm):
1230x230/1250x360
Spindle Taper:
NT40/5HP
NT50/7.5H



► Belt Type Milling &
Drilling Machine
ZX-30L

Max Drilling Capacity (mm): 32



► Taiwan High Speed
Gap-Bed Lathe
HL480/HL530

Max Swing (mm): 480/530
Chuck: 8"/10"



► High Speed Gap-Bed Lathe
CY-S2040B/2060B

Max Swing (mm): 510
Chuck: 8"/10"
Cutting Length (mm) 1000/1500



► Taiwan Ban Saw Machine
UE712A/UE916A

Cutting Capacity : 7"/9"
Motor: 1HP/1.5HP



► LX-Full Automatic Series and
Column Type
WH-300HA Fully Automatic

Cutting Capacity (mm): ●300 ■300x300



► LX-Full Automatic Series and
Column Type
WH-360A Semi-Auto

Cutting Capacity (mm): ●300 ■360x560



► CNC Spring Forming Machine
CNC - 625 III A/B

Wire Diameter (mm): Ø0.3-Ø2.5
Max. Outside Diameter (mm): Ø50



▶ Press Brake
FCP-110

Capacity (TONS):
25/40/60/80/110/160/200/250



▶ Press Brake
FDP-250

Capacity (TONS):
110/160/200/250



▶ Gear Hobbing Machine
Y3180HA

Max Drilling Diameter (mm): 550



▶ Gear Hobbing Machine
Y3150

Max Diameter of Workpiece
to be cut (mm): 500



▶ Air Hammer

C41-25KG
C41-40KG



▶ Fiber Laser Marking

Laser Power: 20w/30w/50w



▶ Laser Welding Machine

Power: 200w
Welding Depth: 0.1-2.0 mm



▶ Notching Machine

Max. Cutting Thickness:
4 (Mild Steel)
2 (Stain Steel)
Max. Cutting Length (mm): 200



▶ CNC Hydraulic Pipe
Bending Machine



▶ Hydraulics Symmetric Plate
Rolling Machine With 3 Rolls

W11Y-16x2500
W11Y-30x2000/2500
W11Y-25x2500/3000



▶ 3 Roller Mechanical
Asymmetrical Plate
Rolling Machine

W11F-2x1000/1500/2000
W11F-3x1000/1500
W11F-4x1000/1500/2000
W11F-6x1000/1500/2000



▶ Iron Worker Machine
Q35Y-16/20/25/30

Rate Capacity (KN):
550/750/1100/1400



Machine Accessories

▶ The Milling Machine Parts
อะไหล่เครื่องมิลลิ่ง



▶ Power Feed X, Y
เพาเวอร์ฟีด



▶ Rotary Table
โรตารี เทเบิล



▶ Coolant Pump Motor
ปั๊มน้ำยาขาว



▶ Clamping Kit
แคมป์ปิ้งคิท



▶ Collet Chuck
คอลลเล็ต ER



▶ Brake Milling
ผ้าเบรคมิลลิ่ง



▶ Vise
ปากกาจับชิ้นงาน




▶ Halogen Lamp
โคมไฟแสงสว่าง



▶ Linear Scale
ลิเนียร์สเกล





TUNGTAI MACHINERY CO., LTD.
บริษัท ตังไถ่แมชชีนเนอรี จำกัด

เลขที่ 7 ซอยพระรามที่ 2 ซอย 59 แยก 4 แขวงสามยุค เขตบางขุนเทียน กรุงเทพฯ 10150
7 Yeak 4, Soi 59 Rama 2, Samaedum, Bangkhuntian, Bangkok 10150 Thailand

Tel. 0-2840-1227, 0-2840-1229, 081-9116791, 081-4833963

Fax. 0-2894-1318 Email: tungtai@tungtaimachinery.com www.tungtaimachinery.com



Wechat: WXC212



Line ID: tungtai2537



Facebook.com/TungtaiMachinery

